




Bugfixes

2017-18.00



Technical Inquiries

Please ask the responsible contact person in our support department.

E-mail: e3-support@zuken.com

Note:

Zuken is not responsible for any errors, which may appear in this documentation. Liability, due to direct and indirect losses resulting from the delivery or use of this documentation, is excluded to the extent permitted by law. This documentation contains copyrighted information. All rights, especially those pertaining to the duplication and distribution as well as the translation, are reserved. This documentation, whether wholly or in part, may not be reproduced in any form (photocopy, microfilm, etc.), or processed, duplicated or distributed using an electronic system without Zuken's prior written consent.

Contact

Zuken E3 GmbH

Laemmerweg 55

D-89079 Ulm/Einsingen

Phone : +49 7305 9309-0

Fax: +49 7305 9309-99

Web: <http://www.zuken.com>

E-mail: e3-info@zuken.com

Bugfixes

INFORMATION	
	<p>When opening a project with the new version (2017-18.00), projects of the directly previous version 2016</p> <p>are converted and can no longer be opened with the previous version</p> <p>[x] Single-User [x] Multi-User</p> <p>All errors repaired in Version 2016 are also repaired for Version 2017.</p> <p>are not converted and can still be opened with the previous version</p> <p>[] Single-User [] Multi-User</p> <p>COM Registration</p> <p>[x] the COM library has been changed and should be registered again (start the program as ADMIN using „E3.series.exe /register“)</p>

The bug fixes are sorted and listed by designer number(s). This enables you, for example, to easily search for bugs reported to our support office.

- Designer-05041** Net segment length 0 on attribute templates is only displayed when newly entering
- Designer-12042** Model's space requirement is erroneously verified if additional polygones are used
- Designer-18342** Component names of assembly component objects are not completely displayed in DBE mode
- Designer-21348** When starting Database Editor with startup parameter 'schema', not all symbols are displayed in the Database Window's 'Misc' tab
- Designer-25227** It's possible to create "Variants" containing line breaks using the COM methods 'Job.AddOptionAlias' and 'Dev.SetAttributeValueVariant' which causes an error: 'E - check_varbool_expression('VAR_BOOL/XXX'): Saved Expression is: ['XXX'] but parsed Expression is: ['XXX']'
- Designer-25883** Changes on dynamic components or components without structure are not highlighted by * in the DBE project window
- Designer-29348** Trigger "BeforeCloseProject" - Workflow adapted
- Designer-29725** "Undo" after jumping to panel prevents editing on the schematic sheet
- Designer-29786** E3.ReportScripts: Error at BOM creation when the name of the article number contains an apostrophe (')

Designer-29810	Several text types do not function properly at reference symbols
Designer-29854	The function 'Purge Unused Objects' doesn't delete an unused symbol, if used characteristics are existing thereof
Designer-29873	Routing in Panel: Conductor that shall be connected over several cable duct inlets/outlets can't find a cable duct routing path
Designer-29959	When a value is to be assigned to an attribute on e.g. sheets or devices within the "Properties", attribute values already existing/assigned in project should be listed and sorted by type [20995]
Designer-29999	PDF Export fails with error when a graphic cloud with line width "0" exists
Designer-30005	Jump and Highlight is showing different results when jumping from the device tree or a panel sheet
Designer-30012	Different behavior when reconnecting wires while moving a symbol to the end of a connect line or on the connect line
Designer-30029	No update of variants/options tree, when variants/options are activated by COM and "Activate online" is not active
Designer-30043	When moving folders within the sheet tree, auto signal cross-references are not updated
Designer-30045	Pictogram placement can't be controlled via text box
Designer-30072	Texts on 2D view sheets can't be rotated
Designer-30073	Wire is not connected to connection that is located on a hierarchical block
Designer-30091	The fill color of a block not saved in MultiUser
Designer-30092	Fields and dynamic symbols as polygons appear invisible when the start point has been digitalized again
Designer-30101	Translation error within the toolbar menu 'Display'
Designer-30103	No ability to place a new device view from a connectorn in certain circumstances
Designer-30111	Bus pins are displayed twice in the "Component Properties" when using the context menu within the Component tree
Designer-30135	With active option 'Split the block and copy the graphic contents' the message "E - Error in function ibndgra\df_bndgra_add(), ret = 17 E - Error in function mdselobj\md_df_do(), ret = 41" may appear at 'split block' for block with placed symbol
Designer-30294	At conductor connection in formboard or view the pin names of connector are changed



Americas

North America

Zuken USA Inc.
Westford, MA 01886, USA
Tel: +1 978 692 4900

Asia

Japan

Zuken (World Wide Head Office)
Yokohama, Kanagawa 224-8585, Japan
Tel: +81 45 942 1511

China

CIM-TEAM Software Technology Co., Ltd.
Changning District, Shanghai, China, 200336
Tel: +86-21-52280180

Korea

Zuken Korea Inc.
Seoul 135-283, Korea
Tel: +82 2 5648031

Singapore

Zuken Singapore Pte Ltd.
#22-05 Gateway East, Singapore 189721
Tel: +65 6392 5855

Taiwan

Zuken Taiwan Inc.
Taipei 110, Taiwan
Tel: +886 2 7718 1116



Europe

Germany

Zuken GmbH (European HQ)
D-85399 Hallbergmoos, Germany
Tel: +49 89 7104059 00

Zuken E3 GmbH
D-89079 Ulm, Germany
Tel: +49 7305 9309 0

Zuken E3 GmbH
D-30659 Hannover, Germany
Tel: +49 511 8595 9489

Switzerland

Zuken E3 GmbH
CH-5506 Mägenwil, Switzerland
Tel: +41 56 437 08 90

United Kingdom

Zuken UK Ltd.
Bristol, BS32 4RF, UK
Tel: +44 1454 207 801

France

Zuken S.A.
#91974 Les Ulis Cédex, France
Tel: +33 1 69 29 48 00

Italy

Zuken S.r.l.
20090 Milanofiori Assago, Milan, Italy
Tel: +39 02 575 921

Netherlands

Zuken GmbH
NL-6075 HA Herkenbosch, The Netherlands
Tel: +31 475 520 998