

The logo for the E3 series features a large, stylized red 'E3' with a motion blur effect of horizontal lines trailing to the right. Below this, the word 'series' is written in a bold, black, sans-serif font.

E3
series

Bugfixes
2015-16.10



Technical Inquiries

Please ask the responsible contact person in our support department.

E-mail: e3-support@zuken.com

Note:

Zuken is not responsible for any errors, which may appear in this documentation. Liability, due to direct and indirect losses resulting from the delivery or use of this documentation, is excluded to the extent permitted by law. This documentation contains copyrighted information. All rights, especially those pertaining to the duplication and distribution as well as the translation, are reserved. This documentation, whether wholly or in part, may not be reproduced in any form (photocopy, microfilm, etc.), or processed, duplicated or distributed using an electronic system without Zuken's prior written consent.

Contact

Zuken E3 GmbH
Laemmerweg 55
D-89079 Ulm/Einsingen

Phone : +49 7305 9309-0
Fax: +49 7305 9309-99
Web: <http://www.zuken.com>
E-mail: e3-info@zuken.com

Bugfixes

INFORMATION



When opening a project with the new version (2015-16.10), projects of the directly previous version (2015-16.06)

|_| are converted and can no longer be opened with the previous version

|x| **are not converted and can still be opened with the previous version**

COM Registration

|x| **the COM library has been changed and should be registered again**
(start the program as ADMIN using „E3.series.exe /register“)

The bug fixes are sorted and listed by designer number(s). This enables you, for example, to easily search for bugs reported to our support office.

- Designer-20628** Mode define through 'Job.SetGetterOptionHandlingMode' is reset (old mode) upon creation of another job object
- Designer-21130** Dialog pages 'Cable/Conductors' and 'Conductor/Wire connections' are active even when the page is called up on a ReadOnly sheet
- Designer-27376** SPS physical address on a bus pin is deleted after change of SPS start address within project
- Designer-27570** When selecting a valid connector pin terminal, connector pin terminal groups and components are listed which are "old" in the DB
- Designer-27646** By moving an attribute text template symbol from a hose/tube which displays component attributes of the hose/tube, these attributes are deleted
- Designer-27660** Wrong behavior of check boxes in device properties
- Designer-27669** Error 'E - Error in function attval\collect_attvals(), ret = 3' when placing attributes to bus pins which have been created in the dialog 'Pin Assignment' without clicking 'Apply'
- Designer-27674** When an attribute text template symbol is placed on an intersection point of connections, a possibly wrong reference object is considered
- Designer-27710** Switch back from full screen mode takes long
- Designer-27715** E3.Add-ons: Problems with tools script "Wire numbering <sheet>.<number>"
- Designer-27760** E3.Add-ons: Incorrect display of default tools in Russian user interface
- Designer-27764** Error "E - Error in function comp\dfi_comp_get(), ret = 1" when selecting "Paste Extended" for cable
- Designer-27775** When models are plugged, placement on origin is not possible on a 2D view

Designer-27826	SetOptionExpressions on device or symbol changes the GetterOptionHandlingMode to 0
Designer-27828	E3.ReportScripts: The view of a feed-through connector is displayed as individual device
Designer-27836	Variants/Options: Devices within assemblies can't be named identically at differing variants
Designer-27856	After connection of two lines with system generated signal the user defined signal changes
Designer-27877	Partially incomplete display of texts within context menus on a Chinese operating system
Designer-27886	Hyperlinks to/from views don't work at PDF export
Designer-27911	Crash or defect project after swap out of sheets/external documents with write permission when these sheets/external documents are already in write acces by another client and can't be swapped as read-only
Designer-27923	Settings / Formboard / Display nodes is not showing the open line ends (yellow dots) on formbard sheets any more
Designer-27926	At 'Cut - Insert' additional devices and wires may be created



Americas

North America

Zuken USA Inc.
Westford, MA 01886, USA
Tel: +1 978 692 4900

Asia

Japan

Zuken (World Wide Head Office)
Yokohama, Kanagawa 224-8585, Japan
Tel: +81 45 942 1511

China

Zuken (Beijing Representative Office)
ChaoYang District, Beijing, China, 100027
Tel: +86 10 8447 5076

Korea

Zuken Korea Inc.
Seoul 135-283, Korea
Tel: +82 2 5648031

Singapore

Zuken Singapore Pte Ltd.
#22-05 Gateway East, Singapore 189721
Tel: +65 6392 5855

Taiwan

Zuken Taiwan Inc.
Taipei 110, Taiwan
Tel: +886 2 7718 1116



Europe

Germany

Zuken GmbH (European HQ)
D-85399 Hallbergmoos, Germany
Tel: +49 89 607969 00

Zuken E3 GmbH
D-89079 Ulm, Germany
Tel: +49 7305 9309 0

Zuken E3 GmbH
D-30659 Hannover, Germany
Tel: +49 511 8595 9489

Switzerland

Zuken E3 GmbH
CH-5506 Mägenwil, Switzerland
Tel: +41 56 437 08 90

United Kingdom

Zuken UK Ltd.
Bristol, BS32 4RF, UK
Tel: +44 1454 207 801

France

Zuken S.A.
#91974 Les Ulis Cédex, France
Tel: +33 1 69 29 48 00

Italy

Zuken S.r.l.
20090 Milanofiori Assago, Milan, Italy
Tel: +39 02 575 921

Netherlands

Zuken GmbH
NL-6075 HA Herkenbosch, The Netherlands
Tel: +31 475 520 998